


Questo manuale d'istruzione è fornito da trovaprezzi.it. Scopri tutte le offerte per Azza Eclipse o cerca il tuo prodotto tra le migliori offerte di Case e Alimentatori







www.erzzeiek.com

- 1. Specifications
- 2. Chassis Parts
- 3. Control Panel Functions
- 4. 3.5"/2.5" HDD/SSD Installation
- 5. Cooling System Installation
- 6. ARGB Control Board
- 7. ARGB Control Modes Switching

| Model | |
|--------------------------------|---|
| Model Name: | ECLIPSE 440 |
| Model Number: | CSAZ-440 |
| Specifications | |
| Туре: | ATX Mid Tower |
| Color: | Black/Black(interior) |
| Side Panel Window: | Left side panel: tempered glass with rubber mounts |
| Max CPU Cooler Height: | UP to 160mm |
| Max Video Card Length: | Up to 390mm long video card |
| Power Supply: | Not included |
| Motherboard Compatibility: | EATX、ATX、Micro ATX、ITX |
| Expansion | |
| External 5.25" Drive Bays: | 0 |
| Internal 2.5" Drive Bays: | Up to 4 |
| Internal 3.5" Drive Bays: | Up to 2 |
| Expansion Slots: | 7 |
| Top Ports: | Power button, reset button,Led button, HD Audio, USB 3.0 x 1, USB2.0x2 |
| Physical Specifications | |
| Case Dimension (HxWxD) | 470x215x450/18.5x8.5x17.7 inches |
| Weight: | 6.3kg /13.9lbs |
| Features | |
| Tempered Glass Sides Window: | High-quality tempered glass side window allows for clear visuals to inner components |
| | All ARGB light sync. devices connected to the ARGB control board, allowing the LED button |
| Addressable RGB Light Effects: | to directly contrl the ARGB lighting. |
| | 3x120mm or 3x140mm Fan ports in the front |
| | (1x120mm ARGB Fan included) |
| | 3x120mm or 2x140mm Fan ports on the top |
| Available Fan Ports: | 2x120mm Fan ports on the top of PSU shroud |
| | 1x120mm Fan port in the rear |
| | |
| Weter Cooling | Supports radiators up to 280/360mm in the Front |
| Water Cooling: | Supports radiators up to 240mm in the Top |
| Dust Filters: | Removable (magnetic) mesh net on the top, Steel dust filter on bottom of chassis. |
| Power Supply Support: | Bottom mounted ATX Power Supply |
| Accessories: | ARGB Controller Board |




| 1 | Chassis |
|----|------------------------------|
| 2 | Metal side panel |
| 3 | Sliding tempered glass panel |
| 4 | 2.5" SSD tray x 2 |
| 5 | Hard disk cage |
| 6 | 3.5" HDD/ 2.5" SSD brackets |
| 7 | Front panel |
| 8 | Light guide panel |
| 9 | Removable magnetic mesh |
| 10 | Steel dust filter |



| C | POWER | |
|------------|-------|--|
| \bigcirc | RESET | |
| LED | LED | |
| 0 | Audio | |

| | USB 3.0 (Blue) |
|----|-----------------|
| d) | USB 2.0 (Black) |
| 0 | Mic |

3.5 "/ 2.5" HDD/SSD Installation



•Supports up to 390mm long video cards.

-Supports up to 120mm fan x2 (3 3)




or





- Multifunctional hard disk cage support
 3.5" HDD or 2.5" SSD x 1(()
- Multifunctional hard disk bracket support 3.5" HDD or 2.5" SSD x 1 (^(B))
- •2.5" SSD metal tray support 2.5" SSD x 2
 (⊙)

Front












```
120mm x1
```







- % Press the LED button to cycle through different RGB lighting modes, controlled by the LED button though the ARGB control board.
- * Hold the LED button for 3 seconds to switch the RGB control function between motherboard RGB software and LED button.

