

Instruction Manual

6 Port USB 3.0/2.0 Hub with Charging Port

ST7320USBC

DE: Bedienungsanleitung - de.startech.com
FR: Guide de l'utilisateur - fr.startech.com
ES: Guía del usuario - es.startech.com
IT: Guida per l'uso - it.startech.com
NL: Gebruiksaanwijzing - nl.startech.com
PT: Guia do usuário - pt.startech.com

Packaging Contents

- 1x 6 Port USB Hub
- 1x USB 3.0 Cable
- 1x Universal Power Adapter
- 3x Power Adapter Plug (NA/ EU/ UK)
- 1x Instruction Manual

System Requirements

- USB enabled computer system with available USB 3.0 or 2.0 port
NOTE: Host computer not required to use Charging Port
- Available AC electrical outlet for use of Charging Port
- Microsoft® Windows® XP(32/64-bit)/ Server 2003(32/64-bit)/ Vista(32/64-bit)/ Server 2008 R2/ 7(32/64-bit), Apple® Mac OS®X, or Linux®

Installation

Hardware Installation

1. Make sure the power switch along the side of the hub is set to the "Off" position.
2. Connect the included power adapter to the USB hub. **NOTE:** Unless using the Charging Port, supplying external power is optional. However to ensure each USB port is fully powered, connecting external power is recommended. Use of the Charging Port requires external power.
3. Connect the USB cable from the USB hub (type B port) to the host computer system.
NOTE: If connected to a USB 2.0 host port, all ports on the hub will only operate at USB 2.0 speeds.
4. Toggle the switch along the side of the hub to the "On" position.
5. The operating system will detect the hub immediately and automatically install it.
6. Once installation is complete, USB 1.x/2.0/3.0 devices should be able to be connected to the hub and recognized by the operating system.

Driver Installation

No driver or software installation is required for the supported operating systems.



*actual product may vary from photos

Specifications

Host Interface	USB 3.0
Number of Ports	6 (2x USB 3.0/ 4x USB 2.0)
Chipset ID	VIA VL810E
External Connectors	2x USB 3.0 type A Female 4x USB 2.0 type A Female 1x USB 3.0 type B Female 1x DC Power Female
LEDs	1x Power
Maximum Data Transfer Rate	USB 3.0: 5 Gbps USB 2.0: 480Mbps
Maximum Power Output	USB 2.0: 500mA USB 3.0: 900mA Charging Port: 2000mA
Enclosure Material	Plastic
Power Adapter	5VDC, 4000mA, center positive
Operating Temperature	0°C~85°C (32°F~185°F)
Storage Temperature	-10°C~95°C (14°F~203°F)
Humidity	5%~90% RH
Dimensions (LxWxH)	99.0mm x 60.0mm x 20.0mm
Weight	75.4g
Compatible Operating Systems	Microsoft® Windows® XP(32/64-bit)/ Server 2003(32/64-bit)/ Vista(32/64-bit)/ Server 2008 R2/ 7(32/64-bit), Apple® Mac OS®X, Linux®

FCC Compliance Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Use of Trademarks, Registered Trademarks, and other Protected Names and Symbols

This manual may make reference to trademarks, registered trademarks, and other protected names and/or symbols of third-party companies not related in any way to StarTech.com. Where they occur these references are for illustrative purposes only and do not represent an endorsement of a product or service by StarTech.com, or an endorsement of the product(s) to which this manual applies by the third-party company in question. Regardless of any direct acknowledgement elsewhere in the body of this document, StarTech.com hereby acknowledges that all trademarks, registered trademarks, service marks, and other protected names and/or symbols contained in this manual and related documents are the property of their respective holders.

Technical Support

StarTech.com's lifetime technical support is an integral part of our commitment to provide industry-leading solutions. If you ever need help with your product, visit www.startech.com/support and access our comprehensive selection of online tools, documentation, and downloads.

For the latest drivers/software, please visit www.startech.com/downloads

Warranty Information

This product is backed by a two year warranty.

In addition, StarTech.com warrants its products against defects in materials and workmanship for the periods noted, following the initial date of purchase. During this period, the products may be returned for repair, or replacement with equivalent products at our discretion. The warranty covers parts and labor costs only. StarTech.com does not warrant its products from defects or damages arising from misuse, abuse, alteration, or normal wear and tear.

Limitation of Liability

In no event shall the liability of StarTech.com Ltd. and StarTech.com USA LLP (or their officers, directors, employees or agents) for any damages (whether direct or indirect, special, punitive, incidental, consequential, or otherwise), loss of profits, loss of business, or any pecuniary loss, arising out of or related to the use of the product exceed the actual price paid for the product. Some states do not allow the exclusion or limitation of incidental or consequential damages. If such laws apply, the limitations or exclusions contained in this statement may not apply to you.